

Version 4.0

SAFETY DATA SHEET

SBR 4684

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name SBR 4684

Lion Elastomers Customer Service Number 1-800-535-9960

P.O. Box 667 Email Customerservice@lionelastomers.com

Port Neches, Texas 77651 Emergency telephone number CHEMTREC 1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of the the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards
Human health
Carc.: H350
Environment
Not classified
Not classified

Classification (1999/45/EEC)

Label Elements



Contains HEAVY PARAFFINIC DISTILLATE SOLVENT

Signal Word Danger

Hazard Statements

H350 May cause cancer

Page 1 / 9



Version 4.0

SAFETY DATA SHEET

SBR 4684

Precautionary Statements

P201 Obtain special instructions before use P308+313 If exposed or concerned: Get medical

advice/attention

P501 Dispose of contents/container in

accordance with local regulations

Supplemental Precautionary Statements

P202 Do not handle until all safety precautions

have been read.

P281 Use personal protective equipment as

required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components CAS No. Concentration

CARBON BLACK	1333-86-4	>=30-<60%
EXTRACTS, HEAVY PARAFFINIC DIST SOLVENT	64742-04-7	>=10-<30%
N-(1,4-Dimethylpentyl)-N´-phenyl-p-phenylenediamine	793-24-8	>=1%

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin First Aid is not normally required. However, it is recommended that exposed areas be cleaned by washing soap and water.

with

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Page 2 / 9



Version 4.0

SAFETY DATA SHEET

SBR 4684

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available. **Treatment**: No information available.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO2), Water spray

Hazardous combustion products

carbon dioxide and carbon monoxide. Polymers decompose under fire conditions. The smoke may contain polymer fragments of varying composition and unidentified toxic and/or irritating compounds.

Precautions for fire-fighting

Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

not applicable

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Other information

Page 3 / 9



Version 4.0

SAFETY DATA SHEET

SBR 4684

Comply with all applicable federal, state, and local regulations.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

Storage

Store in original container, Store in cool place, Keep away from direct sunlight. Keep at temperatures between 0 and 60°C.

.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

CARBON BLACK		1333-86-4	
NIOSH	Recommended exposure limit (REL):	0.1 mg/m3	
NIOSH	Recommended exposure limit (REL):	3.5 mg/m3	
OSHA Z1	Permissible exposure limit	3.5 mg/m3	
ACGIH	time weighted average	3 mg/m3	Inhalable fraction.
EXTRACTS, HEAVY P. SOLVENT	ARAFFINIC DIST	64742-04-7	
NIOSH	Recommended exposure limit (REL):	5 mg/m3	Mist.
NIOSH	Short term exposure limit	10 mg/m3	Mist.
OSHA Z1	Permissible exposure limit	5 mg/m3	Mist.
ACGIH	time weighted average	5 mg/m3	Inhalable fraction.

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below



Version 4.0

SAFETY DATA SHEET

SBR 4684

exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Wear resistant gloves (consult your safety equipment supplier).

Discard gloves that show tears, pinholes, or signs of wear.

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	solid
Form	bale
Color	black
Odor	characteristic
Flash point	
•	not applicable
Density	1.01 – 1.14 g/cm3

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

excessive heat

Incompatible products

Oxidizing agents

Page 5 / 9



Version 4.0

SAFETY DATA SHEET

SBR 4684

Hazardous decomposition products

carbon dioxide and carbon monoxide

Hazardous reactions

Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of

exposure

: Inhalation

Skin absorption

Skin contact Eye Contact Ingestion

Product

Acute oral toxicity : no data available

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Skin corrosion/irritation : no data available

Serious eye damage/eye

irritation

: no data available

Respiratory or skin sensitisation : no data available

Components:

.

CARBON BLACK:

Acute oral toxicity : LD 50 Rat: > 10,000 mg/kg

Acute dermal toxicity : LD 50 Rabbit: > 3 g/kg

Page 6 / 9



Version 4.0

SAFETY DATA SHEET

SBR 4684

12. ECOLOGICAL INFORMATION

Ecotoxicity Product:

no data available

Components: No data available

Bioaccumulative potential

Product:

no data available

Components:

No data available

Mobility in soil

Product:

no data available

Components:

no data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT/
					LTD. QTY.



Version 4.0

SAFETY DATA SHEET

SBR 4684

U.S. DOT - ROAD	
Not dangerous goods	
U.S. DOT - RAIL	
Not dangerous goods	
U.S. DOT - INLAND WATERWAYS	
Not dangerous goods	
TRANSPORT CANADA - ROAD	
Not dangerous goods	
TRANSPORT CANADA - RAIL	
Not dangerous goods	
TRANSPORT CANADA - INLAND WATERWAYS	
Not dangerous goods	
INTERNATIONAL MARITIME DANGEROUS GOODS	
Not dangerous goods	
INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO	
Not dangerous goods	
INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER	
Not dangerous goods	
MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARI	DOUS MATERIALS AND WASTES
Not dangerous goods	SOUS MATERIALS AND WASTES
*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID	
Dangerous goods descriptions (if indicated above) may not reflect quar	
that can be applied. Consult shipping documents for descriptions that a	are specific to the shipment.
15. REGULATORY INFORMATION	
0.114	
California Prop. 65	Carbon blook
WARNING! This product contains a chemical known to the State of California to cause cancer.	Carbon black



Version 4.0

SAFETY DATA SHEET

SBR 4684

SARA Hazard Classification SARA 311/312 Classification

Acute Health Hazard

SARA 313 Component(s)

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic	y (positive listing)
Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
Japan. ENCS - Existing and New Chemical Substances Inventory	n (negative listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear	y (positive listing)
Waste Control Act	2.
China. Inventory of Existing Chemical Substances	y (positive listing)

	HMIS	NFPA
Health	2	1
Flammability	1	1
Physical hazards	0	
Instability		0
Specific Hazard		

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet:

ACGIH: American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

Page 9 / 9



Version 4.0

SAFETY DATA SHEET

SBR 4684

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement: Hazard Statement

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO-TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods ISO: International Organization for Standardization

logPow: octanol-water partition coefficient

LCxx: Lethal Concentration, for xx percent of test population

LDxx: Lethal Dose, for xx percent of test population. ICxx: Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx N.O.S.: Not Otherwise Specified

OECD: Organization for Economic Co-operation and Development

OEL: Occupational Exposure Limit
P-Statement: Precautionary Statement
PBT: Persistent, Bioaccumulative and Toxic

PPE: Personal Protective Equipment STEL: Short-term exposure limit STOT: Specific Target Organ Toxicity

TLV: Threshold Limit Value TWA: Time-weighted average

vPvB: Very Persistent and Very Bioaccumulative

WEL: Workplace Exposure Level

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

DOT: Department of Transportation

FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act HMIRC: Hazardous Materials Information Review Commission

HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration PMRA: Health Canada Pest Management Regulatory Agency

RTK: Right to Know

WHMIS: Workplace Hazardous Materials Information System